Philips CorePro LED PLT HF 15W

Ballast Compatibility

KEY

_			
		Ballast is compatible	This document is for information purposes and must be treated as recommendation. Signify attempted to provide best results, results are generated in lab controlled environment and may differ from actual application conditions
	*	Ballast is compatible, light output may differ >10% compared to specifications	
	**	Ballast is compatible, light output may differ >20% compared to specifications	
((1)	Ballast Do not use in closed luminaires	
		Ballast is not compatible	

				LED PLT HF 15W
				Model number / EOC code: 9290035767 9290035768 * / *
	Ballast type	10nc	Lamps on ballast	AC (50Hz) on HF Ballast Compatible
	HF-P 1 22-42 PL-T/C/L/T5C EI	9137006307	1	
PHILIPS	HF-P126-42 PL-T/C	9137001932	1	
푼	HF-P 2 22-42 PL-T/C/L/TL5C EII	9137006308	2	
	HF-P 2 26-42 PL-T/C 220-240	9137001950	2	**
	QTP-M 1X26-42	A6979600455	1	
OSRAM	QTP-M 2x26-32	A6979950455 A69799501DG	2	
SO	QTP-T/E 1x26-42, 2x26	A72032500DG	1	
	QT-M 2x26-42/220-240 S	A5267550355	2	
8	PC 1/2x26 TC PRO sr	22176417	1	
CAT	PC 1/2 x 26-42 TC PRO	22176408	1	
TRIDONIC ATCO	PC 1x26-42 TC TOP	28000075	1	
풀	PC 2x26-42 TC PRO	22176410	2	
	ELXc 142.872	188700	1	
VOSSLOH	ELXc 142.876	188888	1	
SSO	ELXc 242.837	188643	2	•
	ELXc 242.877	188889	2	
	BCS42.1/26.2LS-01/220-240	10095045	1	
8	BCS42.1/26.2QI-01/220-240	10095745	1	
Ĕ	BCS70.1/42.2Q-01/220-240	10097546	1	
BAG-HUECO	BCS70.1/42.2Q-01/220-240	10097546	2	
A	BCS42.1Q-01/220-240	10097535	1	
	BCS42.1/26.2Q-01/220-240	10097545	1	
	MBQ 142/2	137968/142	1	**
ㅁ	MBQ 242/2	137962/242	1	**
	MBQ 242/2	137962/242	2	**
VAR	EL1/2x18-42TCs	4219001Q09604620 1	1	•
HELVAR	EL2x32/42TCs	4218001K03102451 9	2	
HUCO	EVG-HP 1x/2x 15-42W HC	097545	1	

General note Philips CorePro LED PLT

General notes: Refer to the product reference number in the header of the columns to use this product-ballast compatibility list.

Please note that Philips CorePro LED PLT 4P are only tested with HF ballast on AC operation. The performance of Philips CorePro LED PLT 4P on HF ballasts with DC operation is not tested and is therefore not guaranteed. Philips CorePro LED PLT 4P on HF ballasts with DC operation is not tested and is therefore not guaranteed. 4P range is designed to work on HF ballasts only.

This document is for information purposes only and must be treated as recommendation. Philips will not accept claims for any damage caused by not implementing the recommendations in this document. Philips does not accept any responsibility, warranty or liability when using Philips CorePro LED PLT 4P with ballasts not mentioned in this list, or when using successor models of the tested ballasts. Although Philips aims to provide the most accurate information and test results from controlled experiments the results may vary in different applications. This document focuses on the behaviour of above mentioned Philips CorePro LED PL 4P. Please also check and follow the instructions of HF ballast

www.philips.com/LED tube

Always check the latest update of the compatibility list on $\underline{www.philips.com/ledtube}$

Dimming: Philips CorePro LED PLT 4P are not developed for dimming therefore the performance cannot be guaranteed in a dimming application. In case of usage of a non-dimmable product in a dimmable application,

